



ESSENCE

L I N E



VENEERED BOARDS COLLECTION




ESSENCE LINE

AN ESSENCE OF NATURE IN EVERY DETAIL

The Essence Line is the perfect fusion between the authenticity of nature and the versatility of design. This line is adequate for different styles, presenting solutions that adapt harmoniously to modern, contemporary, and rustic environments.

With the Essence Line, every area comes to life, providing authentic and sophisticated environments with the richness of natural materials.

Whether it is the discreet elegance of natural veneers, the unique texture of cork or the sustainability of bamboo, this line offers solutions that value design and the essence of nature.



1. SPLICED VENEER

Choose the Essence Line reference suitable for your project.

2. BOARD

Choose the board that is best suitable.

3. VENEER BACKINGS

Choose the solution face/face or face/balance.

EDGE BANDING

This collection features compatible edge banding for each proposal, allowing the desired finish for every project. Depending on the requirement, it is possible to have sand or unsanded Alcansupor and Alcantesp thick edge banding in 1.1 and 2.0mm.

ALCANSUPOR - Edge banding veneer produced with a fleece backing, which gives the product a greater resistance and flexibility. This product is intended for the furniture industry, particularly for application on the sides of veneer boards or for profile wrapping in the coating industry.

ALCANTESP - Thicker edge banding veneer more suitable for curves.

Due to printing techniques, the reproduction of color, structure and texture of the products mentioned in this catalogue may have differences between the image and the actual product. The environmental images in this catalogue are simulations. The final effect after applying the veneers from this collection depends on the bundles used and on the final finish that is applied to the surface.

NOTE: Being a natural product and due to the veneer characteristics, variations of color, texture and structures may occur. The samples presented are merely representative.



Cracked Oak
see page 04



Cracked Oak
see page 04

CRACKED OAK

see page 02-03

CHIPBOARD STANDARD

2440x1220 mm

8; 10; 12; 15; 16; 19; 22; 25; 30 e 40 mm

2500x1250 mm

8; 10; 12; 15; 16; 19; 22; 25; 30 e 40 mm

MDF STANDARD

2440x1220 mm

8; 10; 12; 15; 16; 19; 22; 25 e 30 mm

2500x1250 mm

8; 10; 12; 15; 16; 19; 22; 25 e 30 mm

MDF MOISTURE RESISTANT

2440x1220 mm

8; 10; 12; 16; 19; 22; 25 e 30 mm

2500x1250 mm

8; 10; 12; 16; 19; 22; 25 e 30 mm

WBP BIRCH PLYWOOD

2500x1250 mm

9; 12; 15; 18; 21 e 30 mm





AGED OAK

see page 06

CHIPBOARD STANDARD

2750x1830 mm

8; 10; 16; 19 e 30 mm

2800x2070 mm

12; 15; 16; 19; 22; 25 e 40 mm

MDF STANDARD

2750x1830 mm

10; 16; 19 e 30 mm

2800x2070 mm

8; 12; 15; 16; 19; 22 e 25 mm

MDF MOISTURE RESISTANT

2750x1830 mm

10; 16; 19 e 30 mm

2800x2070 mm

8; 12; 19; 22 e 25 mm

WBP BIRCH PLYWOOD

2500x1250 mm

9; 12; 15; 18; 21 e 30 mm





Aged Oak
see page 05



TRENDY OAK

CHIPBOARD STANDARD

2750x1830 mm
8; 10; 16; 19 e 30 mm
2800x2070 mm
12; 15; 16; 19; 22; 25 e 40 mm

MDF STANDARD

2750x1830 mm
10; 16; 19; 30 mm
2800x2070 mm
8; 12; 15; 16; 19; 22 e 25 mm

MDF MOISTURE RESISTANT

2750x1830 mm
10; 16; 19 e 30 mm
2800x2070 mm
8; 12; 19; 22 e 25 mm

WBP BIRCH PLYWOOD

2500x1250
9; 12; 15; 18; 21 e 30 mm



DECOSENSE OAK

CHIPBOARD STANDARD

2750x1830 mm

8; 10; 16; 19 e 30 mm

2800x2070 mm

12; 15; 16; 19; 22; 25 e 40 mm

MDF STANDARD

2750x1830 mm

10; 16; 19 e 30 mm

2800x2070 mm

8; 12; 15; 16; 19; 22 e 25 mm

MDF MOISTURE RESISTANT

2750x1830 mm

10; 16; 19 e 30 mm

2800x2070 mm

8; 12; 19; 22 e 25 mm

WBP BIRCH PLYWOOD

2500x1250 mm

9; 12; 15; 18; 21 e 30 mm





DECOSENSE WALNUT

CHIPBOARD STANDARD

2750x1830 mm

8; 10; 16; 19 e 30 mm

2800x2070 mm

12; 15; 16; 19; 22; 25 e 40 mm

MDF STANDARD

2750x1830 mm

10; 16; 19 e 30 mm

2800x2070 mm

8; 12; 15; 16; 19; 22 e 25 mm

MDF MOISTURE RESISTANT

2750x1830 mm

10; 16; 19 e 30 mm

2800x2070 mm

8; 12; 19; 22 e 25 mm

WBP BIRCH PLYWOOD

2500x1250 mm

9; 12; 15; 18; 21 e 30 mm



TRENDY WALNUT

CHIPBOARD STANDARD

2750x1830 mm

8; 10; 16; 19 e 30 mm

2800x2070 mm

12; 15; 16; 19; 22; 25 e 40 mm

MDF STANDARD

2750x1830 mm

10; 16; 19 e 30 mm

2800x2070 mm

8; 12; 15; 16; 19; 22 e 25 mm

MDF MOISTURE RESISTANT

2750x1830 mm

10; 16; 19 e 30 mm

2800x2070 mm

8; 12; 19; 22 e 25 mm

WBP BIRCH PLYWOOD

2500x1250 mm

9; 12; 15; 18; 21 e 30 mm





SCANDINAVIA PINE

CHIPBOARD STANDARD

2750x1830 mm

8; 10; 16; 19 e 30 mm

2800x2070 mm

12; 15; 16; 19; 22; 25 e 40 mm

MDF STANDARD

2750x1830 mm

10; 16; 19 e 30 mm

2800x2070 mm

8; 12; 15; 16; 19; 22 e 25 mm

MDF HIDRÓFOGO

2750x1830 mm

10; 16; 19 e 30 mm

2800x2070 mm

8; 12; 19; 22 e 25 mm

WBP BIRCH PLYWOOD

Consultation required



CARAMEL BAMBOO

CHIPBOARD STANDARD

2440x1220 mm

8; 10; 12; 15; 16; 19; 22; 25; 30 e 40 mm

2750x1830 mm

8; 10; 16; 19 e 30 mm

MDF STANDARD

2440x1220 mm

8; 10; 12; 15; 16; 19; 22; 25 e 30 mm

2750x1830 mm

10; 16; 19 e 30 mm

MDF MOISTURE RESISTANT

2440x1220 mm

8; 10; 12; 16; 19; 22; 25 e 30 mm

2750x1830 mm

10; 16; 19 e 30 mm

WBP BIRCH PLYWOOD

Consultation required





AVANT CORK

CHIPBOARD STANDARD

2440x1220 mm

8; 10; 12; 15; 16; 19; 22; 25; 30 e 40 mm

MDF STANDARD

2440x1220 mm

8; 10; 12; 15; 16; 19; 22; 25 e 30 mm



ATLANTIS CORK

CHIPBOARD STANDARD

2440x1220 mm

8; 10; 12; 15; 16; 19; 22; 25; 30 e 40 mm

MDF STANDARD

2440x1220 mm

8; 10; 12; 15; 16; 19; 22; 25 e 30 mm

TROPICAL CURUPIXÁ

see page 15

CHIPBOARD STANDARD

2750x1830 mm

8; 10; 16; 19 e 30 mm

2800x2070 mm

12; 15; 16; 19; 22; 25 e 40 mm

MDF STANDARD

2750x1830 mm

10; 16; 19 e 30 mm

2800x2070 mm

8; 12; 15; 16; 19; 22 e 25 mm

MDF MOISTURE RESISTANT

2750x1830 mm

10; 16; 19 e 30 mm

2800x2070 mm

8; 12; 19; 22 e 25 mm

WBP BIRCH PLYWOOD

2500x1250 mm

9; 12; 15; 18; 21 e 30 mm





Tropical Curupixá
see page 14

NATURAL PEARWOOD

CHIPBOARD STANDARD

2750x1830 mm

8; 10; 16; 19 e 30 mm

2800x2070 mm

12; 15; 16; 19; 22; 25 e 40 mm

MDF STANDARD

2750x1830 mm

10; 16; 19 e 30 mm

2800x2070 mm

8; 12; 15; 16; 19; 22 e 25 mm

MDF MOISTURE RESISTANT

2750x1830 mm

10; 16; 19 e 30 mm

2800x2070 mm

8; 12; 19; 22 e 25 mm

WBP BIRCH PLYWOOD

2500x1250 mm

9; 12; 15; 18; 21 e 30 mm





LIGHT RUSTIC CHERRY

see page 18-19

CHIPBOARD STANDARD

2750x1830 mm

8; 10; 16; 19 e 30 mm

2800x2070 mm

12; 15; 16; 19; 22; 25 e 40 mm

MDF STANDARD

2750x1830 mm

10; 16; 19 e 30 mm

2800x2070 mm

8; 12; 15; 16; 19; 22 e 25 mm

MDF MOISTURE RESISTANT

2750x1830 mm

10; 16; 19 e 30 mm

2800x2070 mm

8; 12; 19; 22 e 25 mm

WBP BIRCH PLYWOOD

2500x1250 mm

9; 12; 15; 18; 21 e 30 mm



Light Rustic Cherry
see page 17





Light Rustic
Cherry
see page 17

Other boards, dimensions, and thicknesses available upon request.
Balbino & Faustino accepts no responsibility for any errors contained in this document.
It is important to verify the suitability of the material for its intended use.
This document is subject to change without prior notice.



geral@balbino-faustino.pt
www.balbino-faustino.pt